

Appendix A
Michigan Critical Health Indicators Summary Table

Indicator		Year	Rate/Percent /Number
Focused Indicators	Health Risk Behaviors	Induced Abortions	12.6/1,000
		Adolescent Use of Alcohol, Tobacco, Other Drugs	
		Current drinker	46%
		Current smoker	26%
		Current marijuana user	24%
		Current cocaine user	4%
		Current Cigarette Smoking	2001 26.1%
		Overweight	2001 60.4
		Teen Pregnancy	2001 63.8/1,000
	Morbidity & Mortality*	AIDS Deaths	2001 2.6/100,000
		Alcohol Induced Deaths	2001 7.2/100,000
		Chlamydia Cases	2001 313/100,000
		Infant Mortality	2001 8.0/1,000
		Suicides	2001 10.6/100,000
		Tuberculosis Cases	2002 3.2/100,000
	Preventive Health Care	Adequate Prenatal Care	2001 77.4%
		Childhood Immunizations	2002
		4-3-1 Series	84.3%
		4-3-1-3-3 Series	81.6%
		Mammography (Never had a mammogram)	2000 8.8%
		MiChild Enrollment	June 2003 33,505
		Healthy Kids Enrollment	May 2003 348,921
Vital Statistics Indicators*		Heart Disease Deaths	2001 280.3/100,000
		Cancer Deaths	2001 203.2/100,000
		Stroke Deaths	2001 59.5/100,000
		Chronic Obstructive Pulmonary Disease Deaths	2001 43.0/100,000
		Unintentional Injury Deaths	2001 33.3/100,000
		Pneumonia and Influenza Deaths	2001 21.7/100,000
		Diabetes Related Deaths	2001 82.3/100,000
		Kidney Disease Deaths	2001 16.1/100,000
		Chronic Liver Disease and Cirrhosis Deaths	2001 10.8/100,000
		Homicides	2001 6.9/100,000
		* Mortality rates are age-adjusted, excluding infant mortality (See <i>Technical Notes</i> for definition).	

Last Updated: August 2003